



County of Riverside DEPARTMENT OF ENVIRONMENTAL HEALTH

For general information call: 1-888-722-4234
www.rivcoeh.org

| | | | | | | | |
|---|--------------------------------|--|---------------------------------|------------|-------------------------|----------------------------------|---------------------|
| FACILITY NAME P.S. GAS | | | | | DATE 6/12/2019 | TIME IN 1:00 PM | TIME OUT 3:15 PM |
| LOCATION 3689 N INDIAN CANYON DR, Palm Springs, CA 92262 | | | | | | RE-INSPECTION DATE 6/19/2019 | |
| PERMIT HOLDER Canyon Food & Gas LLC | | | | | E-MAIL Not Specified | | |
| PERMIT # CO0069281 | EXPIRATION DATE: 09/30/2019 | SERVICE Complaint- Initial response | FACILITY PHONE (760)320-9661 | PE 1200 | DISTRICT 0021 | INSPECTOR NAME Shanna Sidwell | |

Inspector Observations:

This complaint investigation was conducted by inspector S.Sidwell. The routine inspection was conducted on 3/19/19 and a score of 92 was received. The complainant reported seeing rat droppings inside of the facility. The person in charge was previously aware of the complaint and stated that they have been having issues with rodent in the facility. The person in charge stated that they observed live rodents in the facility at times. The person in charge stated that the facility receives active pest control services to eliminate the issue. The latest pest control service report was dated 06/03/19 from Bio-Tech Exterminators. The invoice did not list any detailed service information.

The inspector observed rodent feces and urine throughout the back storage area, especially in the corners, behind and between the ice machine, around the bulk CO2 canister, below and between the soda bib storage rack, and below the 3-compartment sink. Two rodent snap traps were observed in the back storage area but did not contain any live or dead rodents.

The inspector observed rodent feces and urine throughout the cabinetry below the self serve soda dispensers and coffee machines. Feces was also observed on the service counters behind the soda dispensers. The cabinets were observed to contain packaged cups, lids, and opened sugars. The inspector instructed the person in charge to discard all contaminated items found below the cupboards.

No evidence of rodent activity was observed in the walk in refrigerator.

The inspector could not locate any possible rodent entry points or structural issues that may allow for vermin entry. Soda syrup was observed on the floors of the back storage area and food debris was observed behind the equipment at the customer service counters. Ensure all food and beverage debris are eliminated to prevent the attraction of vermin.

This investigation has resulted in a closure of the facility due to an evident rodent infestation. Closure signs have been posted on the exterior side of the entrance to the facility. Closure signs are to remain posted until a re-inspection occurs and approval to operate is granted by a member of this department. A re-inspection has been scheduled for 6/19/19. This facility may **ONLY** sell gas, tobacco, alcohol, non-food items such as hats, sunglasses, charcoal, etc and bottled beverages throughout the duration of the closure. This facility **MAY NOT** sell any pre-packaged foods, open foods, ice, fountain drinks, open coffee beverages, etc. Remove all of the pre-packaged food items from the shelves and store them in vermin proof container or storage area throughout the duration of the closure. Shut down all of the fountain drinks and other self-serve beverage machines. Eliminate and exclude all rodent activity from the facility. Properly wash, rinse, and sanitize all of the affected areas and eliminate the rodent feces and urine. Ensure that the facility is serviced by an approved pest control company and provide the invoice to the inspector before or on the day of the reinspection on 6/19/19. Inspector has removed the "A" placard from the window facility throughout the duration of the closure.

Continued on Next Page





County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH

For general information call: 1-888-722-4234
www.rivcoeh.org

| | | | | | | | |
|--|---------------------------------------|---|--|-------------------|--------------------------------|---|----------------------------|
| FACILITY NAME P.S. GAS | | | | | DATE 6/12/2019 | TIME IN 1:00 PM | TIME OUT 3:15 PM |
| LOCATION 3689 N INDIAN CANYON DR, Palm Springs, CA 92262 | | | | | | RE-INSPECTION DATE 6/19/2019 | |
| PERMIT HOLDER Canyon Food & Gas LLC | | | | | E-MAIL Not Specified | | |
| PERMIT # CO0069281 | EXPIRATION DATE: 09/30/2019 | SERVICE Complaint- Initial response | FACILITY PHONE (760)320-9661 | PE 1200 | DISTRICT 0021 | INSPECTOR NAME Shanna Sidwell | |

Inspector Observations:

| | | | |
|---|--|--|--|
| Signature  | |  | |
| Pete Singh Person in Charge 06/12/2019 | | Shanna Sidwell Environmental Health Specialist 06/12/2019 | |